


# BLUE-GREEN ALGAL BLOOM WEEKLY UPDATE

**REPORTING AUG. 19 - 25, 2022** 

Satellite imagery provided by NOAA - Images are impacted by cloud cover.

A value of 0.004 is nominally equivalent to approximately 20-30 ug/L chlorophyll a of cyanobacteria, and 0.06 would be in the 300-500 ug/L chlorophyll a range. Please keep in mind that bloom potential is subject to change due to rapidly changing environmental conditions or satellite inconsistencies (i.e., wind, rain, temperature or stage).




Lake Okeechobee Aug. 25, 2022

Satellite imagery for Lake Okeechobee shows approximately 50% coverage of moderate to high bloom potential with the highest bloom potential along the western shoreline of the lake.

St. Lucie Estuary Aug. 25, 2022

Satellite imagery for the St. Lucie Estuary shows no significant bloom potential in visible portions of the estuary.



Satellite imagery for the St. Johns River shows areas of moderate to high bloom potential on Lake George and on the mainstem of the river downstream of Lake George to approximately Tocoi Creek.

## SUMMARY

There were 33 reported site visits in the past seven days with 32 samples collected. Algal bloom conditions were observed by samplers at 17 sites.

On 8/22, the South Florida Water Management District collected samples from the C43 Canal - S77 Structure (upstream), C44 Canal - S308 Structure (downstream) and Lake Okeechobee - S308 Structure (lakeside). Only the C43 Canal - S77 Structure (upstream) sample had a dominant algal taxon, Microcystis aeruginosa, and none of the samples had cyanotoxins detected.

On 8/22 to 8/25, the St. Johns River Water Management District (SJRWMD) collected samples at all 10 of its monthly routine harmful algal bloom (HAB) monitoring locations. Dominant algal taxa and cyanotoxin results follow each waterbody name.

- Lake George Center: Microcystis aeruginosa, 0.55 parts per billion (ppb).
- Crescent Lake Crescent City Public Boat Ramp: Microcystis aeruginosa dominant, trace levels (0.33 ppb) anatoxin-a and (0.28 ppb) cylindrospermopsin detected.
- Crescent Lake Mouth of Dunns Creek: Microcystis aeruginosa and Cylindrospermopsis raciborskii co-dominant, and trace levels (0.34 ppb) anatoxin-a and (0.25 ppb) cylindrospermopsin detected.
- Doctors Lake Center: No dominant algal taxon, trace (0.46 ppb) microcystins detected.
- St. Johns River Shands Bridge: Microcystis aeruginosa dominant, trace level (0.12 ppb) cylindrospermopsin detected.
- St. Johns River Mandarin Point: No dominant algal taxon and no cyanotoxins detected.
- Blue Cypress Lake Center: No dominant algal taxon and no cyanotoxins detected.
- Stick Marsh North: Results pending.
- Lake Jesup Center: Results pending.
- · Lake Monroe Center: Results pending.

SJRWMD also collected HAB response samples at:

- St. Johns River Palatka Riverfront Park Boat Ramp: Microcystis aeruginosa and Cylindrospermopsis raciborskii co-dominant and a trace level (0.21 ppb) cylindrospermopsin
- Salt Springs head spring: No dominant algal taxon and no cyanotoxins detected.
- Welaka Springs head spring: Microcystis aeruginosa and Cylindrospermopsis raciborskii co-dominant and a trace level (0.25 ppb) cylindrospermopsin detected.
- St. Johns River just north of Buffalo Bluff: Cylindrospermopsis raciborskii dominant and a trace level (0.17 ppb) cylindrospermopsin detected.

On 8/22 to 8/25, Florida Department of Environmental Protection (DEP) staff performed 15 HAB response site visits. Dominant algal taxa and cyanotoxin results follow each

- Caloosahatchee River SE 21St Ave Canal: Anabaenopsis circularis dominant, no cyanotoxins detected.
- Lake Christie: Botryococcus braunii dominant, no cyanotoxins detected.
- Orange Lake McIntosh Bay 300 m NE of McCormick Island: Microcystis aeruginosa dominant, trace level (0.37 ppb) microcystins detected.
- Orange Lake McIntosh Bay: Microcystis aeruginosa dominant, trace level (0.15 ppb) microcystins detected. Orange Lake - Center: Microcystis aeruginosa dominant, trace levels (0.15 ppb) microcystins and (0.31 ppb) anatoxin-a detected.
- Lake Washington Center: No dominant algal taxon and no cyanotoxins detected. Lake Washington - Boat Ramp: Microcystis aeruginosa and Dolichospermum sp. co-dominant and no cyanotoxins detected.
- Hillsborough River at I-75: No dominant algal taxon and no cyanotoxins detected.
- Woody Ibis Park Lake: No dominant algal taxon and no cyanotoxins detected. Three Sisters Sorings Canal - near SE Paradise Ave: No dominant algal taxon and no cyanotoxins detected.
- Lake Runnymede Sam Pan Way: No dominant algal taxon and no cyanotoxins detected.
- Lake Clay NW: No dominant algal taxon and no cyanotoxins detected.
- Guana Lake 400 m N of Ramp: Results pending. · Lake Livingston: Results pending.
- Lake Reedy: Results pending.

On 8/22, city of Cape Coral staff visited Caloosahatchee River - Cologne Canal. No sample was collected as the observed algal bloom was due to a non-toxin producing green alga, Pithophora sp.

### **Last Week**

On 8/18, DEP staff collected a sample from Lake Kinsale. The sample was dominated by Scytonema crispum and had a trace level (0.17 ppb) of microcystins detected.


Results for completed analyses are available and posted at FloridaDEP.gov/AlgalBloom.

This is a high-level summary of the sampling events for the reported week. For all field visit and analytical result details, please refer to the complete algal bloom map with data table by clicking the "Field and Lab Details" Quick Link from the Algal Bloom Dashboard. Different types of blue-green algal bloom species can look different and have different impacts. However, regardless of species, many types of blue-green algae can produce toxins that can make you or your pets sick if swallowed or possibly cause skin and/or eye irritation due to contact. We advise staying out of water where algae is visibly present as specks or mats or where water is discolored pea-green, blue-green or brownish-red. Additionally, pets or livestock should not come into contact with algal bloom-impacted water or with algal bloom material or fish on the shoreline

### LAKE OKEECHOBEE OUTFLOWS

## As of August 25 West (S-79) 457 cfs East (S-80) 0 cfs Atlantic Ocean \*Updates are generally made on Fridays. Total Inflows and Outflows (cfs) Weekly Inflow 1848 West 799 Weekly Outflow East 987 South 7,619

## SITE VISITS FOR BLUE-GREEN ALGAE



## SIGN-UP FOR UPDATES

To receive personalized email notifications about blue-green algae and red tide, visit



ProtectingFloridaTogether.gov.

## **HUMAN ILLNESS**

**Florida Poison Control Centers** can be reached 24/7 at 800-222-

(DOH provides grant funding to the Florida Poison Control Centers)

## **OTHER PUBLIC HEALTH CONCERNS**

CONTACT DOH

(DOH county office) FloridaHealth.gov/ all-county-locations.html

#### **SALTWATER BLOOM**

### **Observe stranded wildlife**

or a fish kill. Information about red tide

and other saltwater algal blooms.

## CONTACT FWC

800-636-0511 (fish kills) 888-404-3922 (wildlife Alert)

MyFWC.com/RedTide

## FRESHWATER BLOOM

- Observe an algal bloom in a lake or freshwater river.
- Information about bluegreen algal blooms.

